

HOMEWORK 6

1. Prove that the system of linear equations $AX = B$ has a solution if and only if $B \in R(L_A)$.
2. Let $A \in M_{n \times n}(F)$. Suppose that the system of linear equations $AX = B$ has more than one solution. Prove that there is a column $C \in F^n$ such that the system of linear equations $AX = C$ is inconsistent.
3. Let $A \in M_{m \times n}(\mathbb{Q})$ and $B \in \mathbb{Q}^m$. Suppose that the system of linear equations $AX = B$ has a solution in \mathbb{R}^n . Does it necessarily have a solution in \mathbb{Q}^n ?
4. Let B be a bilinear form on a finite dimensional vector space V . Suppose that for any nonzero vector $v \in V$ there exists a $w \in V$ such that $B(v, w) \neq 0$. Prove that for any linear functional $f \in V^*$ there exists a $v \in V$ such that $f(w) = B(v, w)$ for all $w \in V$.
5. Give an example of a nonzero alternating bilinear form on the space $P_1(F)$ over F .
6. Prove that every n -linear alternating form on a vector space of dimension less than n is the zero form.
7. Prove that $\det(aA) = a^n \det(A)$ for any $A \in M_{n \times n}(F)$.
8. Let $A \in M_{n \times n}(F)$ such that $\text{rank}(A) < n$. Prove that $\det(A) = 0$.
9. Let $A \in M_{n \times n}(\mathbb{R})$ be a skew-symmetric matrix, i.e., $A^t = -A$. Prove that if n is odd, then $\det(A) = 0$.
- 10(*). Evaluate $\det(A)$, where A is the $n \times n$ matrix defined by $a_{ij} = \min\{i, j\}$.