## HOMEWORK 6 (18.315, FALL 2005)

- 1) Let  $P_n$  be a polytope of all  $n \times n$  nonnegative real matrices with row and column sums 1.
- a) Prove that vertices of  $P_n$  correspond to permutations  $\sigma \in S_n$ .
- b) Prove that the edges correspond to permutations which differ by a cycle, i.e.  $(v_{\sigma}, v_{\omega})$  is an edge if and only if  $\omega^{-1}\sigma$  is a cycle in  $S_n$ .
- c) Let  $\Gamma_n$  be the graph of  $P_n$  described in b). Conclude from b) that diameter of the graph of  $P_n$  is two.
- d) Prove that  $\Gamma_n$  contains a Hamiltonian cycle.
- 2) Stanley, EC1, Ex. 2.16 (on Vandermonde det.)
- 3) Stanley, EC2, Ex. 7.66, part a) only.
- 4) Imagine all vertices of a graph G are drawn on a line L, and L lies in planes  $P_1, \ldots, P_k \subset \mathbb{R}^3$ . The edges between vertices are drawn in planes  $P_i$  without intersections, and only on one side of L. Let c(G) be the smallest number K of planes needed for such drawing.

For example,  $c(K_3) = 1$  since it can be embedded into one plane with all vertices along the line. Similarly,  $c(K_4) = 2$  since all but one edge can be embedded into  $P_1$ , and the last edge will go into  $P_2$ .

- a) Prove that if G is planar and contains a Hamiltonian cycle, then  $c(G) \leq 2$ .
- b) Prove that if G is not planar, then  $c(G) \geq 3$ .
- c) Prove that  $c(K_n) = n/2 + O(1)$ .
- d) Prove that  $c_n(H_n) = \theta(\log n)$ , where  $H_n$  is a graph of a n-dim. hypercube.
- e) Prove that if G is planar, then  $c(G) \leq 1000$ . [Hint: use a) and Whitney thm.]

\*\*\*\*\*\*

This Homework is due on Wednesday November 9 at 4 pm. in my office (2-390) or by e-mail.