


Math 33 B: 7/19

## Planar system & stability of the solutions

$$y' = \lambda y$$

$$y(t) = C e^{\lambda t}$$



$$y' = Ay = \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix} y$$

$$T = a_{11} + a_{22}, \quad D = a_{11}a_{22} - a_{12}a_{21}$$

$$p(\lambda) = \det(A - \lambda I)$$

$$= \begin{bmatrix} a_{11} - \lambda & a_{12} \\ a_{21} & a_{22} - \lambda \end{bmatrix}$$

$$= \lambda^2 - (a_{11} + a_{22})\lambda + a_{11}a_{22} - a_{12}a_{21}$$

$$= \lambda^2 - T\lambda + D$$

$$\lambda = \frac{T \pm \sqrt{T^2 - 4D}}{2}$$

$$\lambda_1, \lambda_2$$

$$v_1, v_2$$

$$y' = \begin{pmatrix} 1 & 4 \\ 2 & -1 \end{pmatrix} y$$

$$p(\lambda) = \lambda^2 - 9 = (\lambda - 3)(\lambda + 3)$$

$$\lambda_1 = -3, \quad \lambda_2 = 3$$

$$\begin{pmatrix} 1 & 4 \\ 2 & -1 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = -3 \begin{pmatrix} a \\ b \end{pmatrix}$$

$$\begin{pmatrix} a + 4b \\ 2a - b \end{pmatrix} = \begin{pmatrix} -3a \\ -3b \end{pmatrix}$$

$$4a + 4b = 0$$

$$v_1 = \begin{pmatrix} -1 \\ 1 \end{pmatrix}$$

$$\begin{pmatrix} 1 & 4 \\ 2 & -1 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = 3 \begin{pmatrix} a \\ b \end{pmatrix}$$

$$a + 4b = 3a$$

$$a = 2b$$


$$v_2 = \begin{pmatrix} 2 \\ 1 \end{pmatrix}$$

$$y(t) = C_1 e^{-3t} \begin{pmatrix} -1 \\ 1 \end{pmatrix} + C_2 e^{3t} \begin{pmatrix} 2 \\ 1 \end{pmatrix}$$

$$y(t) = \begin{pmatrix} y_1(t) \\ y_2(t) \end{pmatrix}$$

$$e^{-3t} \begin{pmatrix} -1 \\ 1 \end{pmatrix}$$

$$e^{3t} \begin{pmatrix} 2 \\ 1 \end{pmatrix}$$



$$\lambda_1 < 0 < \lambda_2$$

saddle point

$$y' = \begin{pmatrix} -3 & -1 \\ -1 & -3 \end{pmatrix} y$$

$$p(\lambda) = \lambda^2 + 6\lambda + 8 = (\lambda + 4)(\lambda + 2)$$

$$\begin{pmatrix} -3 & -1 \\ -1 & -3 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = -2 \begin{pmatrix} a \\ b \end{pmatrix}$$

$$-3a - b = -2a$$

$$a + b = 0$$

$$v_2 = \begin{pmatrix} -1 \\ 1 \end{pmatrix}$$


$$\begin{pmatrix} -3 & -1 \\ -1 & -3 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = -4 \begin{pmatrix} a \\ b \end{pmatrix}$$

$$-3a - b = -4a$$

$$a - b = 0$$

$$v_1 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$y(t) = C_1 e^{-4t} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + C_2 e^{-2t} \begin{pmatrix} -1 \\ 1 \end{pmatrix}$$



$$\lambda_1 < \lambda_2 < 0$$

nodal sink

$$y' = \begin{pmatrix} 3 & 1 \\ 1 & 3 \end{pmatrix} y$$

$$p(\lambda) = \lambda^2 - 6\lambda + 8 = (\lambda - 2)(\lambda - 4)$$

$$\begin{pmatrix} 3 & 1 \\ 1 & 3 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = 2 \begin{pmatrix} a \\ b \end{pmatrix}$$

$$3a + b = 2a$$

$$a + b = 0$$

$$v_1 = \begin{pmatrix} -1 \\ 1 \end{pmatrix}$$


$$\begin{pmatrix} 3 & 1 \\ 1 & 3 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = 4 \begin{pmatrix} a \\ b \end{pmatrix}$$

$$3a + b = 4a$$

$$a - b = 0$$

$$v_2 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$y(t) = C_1 e^{2t} \begin{pmatrix} -1 \\ 1 \end{pmatrix} + C_2 e^{4t} \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$



$0 < \lambda_1 < \lambda_2$  nodal source

$$y' = \begin{pmatrix} 0 & 2 \\ -2 & 0 \end{pmatrix} y$$

$$p(\lambda) = \lambda^2 + 4 = (\lambda - 2i)(\lambda + 2i)$$

$$\begin{pmatrix} 0 & 2 \\ -2 & 0 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = 2i \begin{pmatrix} a \\ b \end{pmatrix}$$

$$2b = 2ia$$

$$w = \begin{pmatrix} 1 \\ i \end{pmatrix} = \begin{pmatrix} 1 \\ 0 \end{pmatrix} + i \begin{pmatrix} 0 \\ 1 \end{pmatrix}$$

$$\lambda = a + bi$$


$$w = v_1 + i v_2$$

$$e^{at} \left( (\cos bt) v_1 - (\sin bt) v_2 \right)$$

$$e^{at} \left( (\sin bt) v_1 + (\cos bt) v_2 \right)$$

$$y(t) = C_1 \left( \cos 2t \begin{pmatrix} 1 \\ 0 \end{pmatrix} - \sin 2t \begin{pmatrix} 0 \\ 1 \end{pmatrix} \right)$$

$$+ C_2 \left( \sin 2t \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \cos 2t \begin{pmatrix} 0 \\ 1 \end{pmatrix} \right)$$



center

$$\tau^2 - 4D < 0$$

$$\tau = 0$$

$$y' = \begin{pmatrix} 1 & -4 \\ 2 & -3 \end{pmatrix} y$$

$$p(\lambda) = \lambda^2 + 2\lambda + 5$$

$$\lambda = \frac{-2 \pm \sqrt{4 - 20}}{2}$$

$$= -1 \pm 2i$$


$$\begin{pmatrix} 1 & -4 \\ 2 & -3 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = (-1 + 2i) \begin{pmatrix} a \\ b \end{pmatrix}$$

$$a - 4b = (-1 + 2i)a$$

$$(2 - 2i)a = 4b$$

$$w = \begin{pmatrix} 1 \\ \frac{1}{2} - \frac{1}{2}i \end{pmatrix} = \begin{pmatrix} 1 \\ \frac{1}{2} \end{pmatrix} + i \begin{pmatrix} 0 \\ -\frac{1}{2} \end{pmatrix}$$

$$y(t) = C_1 e^{-t} \left( \cos 2t \begin{pmatrix} 1 \\ \frac{1}{2} \end{pmatrix} - \sin 2t \begin{pmatrix} 0 \\ -\frac{1}{2} \end{pmatrix} \right) + C_2 e^{-t} \left( \sin 2t \begin{pmatrix} 1 \\ \frac{1}{2} \end{pmatrix} + \cos 2t \begin{pmatrix} 0 \\ -\frac{1}{2} \end{pmatrix} \right)$$



spiral sink