

HOMEWORK 8

Exercise 1. Let X be a non-empty set and let $d : X \times X \rightarrow \mathbb{R}$ be the discrete metric on X defined as follows: for any $x, y \in X$,

$$d(x, y) = \begin{cases} 0, & \text{if } x = y \\ 1, & \text{if } x \neq y. \end{cases}$$

Find the open and the closed subsets of this metric space.

Exercise 2. Let (X, d_1) be a metric space and let $d_2 : X \times X \rightarrow \mathbb{R}$ be the metric defined as follows: for any $x, y \in X$,

$$d_2(x, y) = \frac{d_1(x, y)}{1 + d_1(x, y)}.$$

Prove that a subset A of X is open with respect to the metric d_1 if and only if it is open with respect to the metric d_2 .

Exercise 3. Let $1 \leq p, q \leq \infty$ and consider the two metrics on \mathbb{R}^n given by

$$d_p(x, y) = \left(\sum_{k=1}^n |x_k - y_k|^p \right)^{1/p} \quad \text{and} \quad d_q(x, y) = \left(\sum_{k=1}^n |x_k - y_k|^q \right)^{1/q},$$

with the obvious modifications if p or q are infinity. Prove that a set $A \subseteq \mathbb{R}^n$ is open with respect to the metric d_p if and only if it is open with respect to the metric d_q .

Exercise 4. Let (X, d) be a metric space and let A be a non-empty subset of X . Prove that A is open if and only if it can be written as the union of a family of open balls of the form $B_r(x) = \{y \in X : d(x, y) < r\}$.

Exercise 5. Let (X, d) be a metric space. The diameter of a set $\emptyset \neq A \subseteq X$ is given by

$$\delta(A) = \sup\{d(x, y) : x, y \in A\},$$

with the convention that $\delta(A) = \infty$ if the set $\{d(x, y) : x, y \in A\}$ is unbounded.

Prove that the diameter of A is equal to the diameter of the closure of A , that is, $\delta(A) = \delta(\bar{A})$.

Exercise 6. Let (X, d) be a metric space and let A be a subset of X and O be an open subset of X . Prove that

$$O \cap \bar{A} \subseteq \overline{O \cap A} \quad \text{and} \quad \overline{O \cap \bar{A}} = \overline{O \cap A}.$$

Conclude that if $O \cap A = \emptyset$, then $O \cap \bar{A} = \emptyset$.

Exercise 7. Let (X, d) be a metric space and let $a \in X$ and $r > 0$. Prove that the closed ball $K_r(a) = \{x \in X : d(x, a) \leq r\}$ is a closed set.

Exercise 8. Let (X, d) be a metric space and let A, B be two subsets of X . Prove that

$$\text{Fr}(A \cup B) \subseteq \text{Fr}(A) \cup \text{Fr}(B).$$

Show also that if $\bar{A} \cap \bar{B} = \emptyset$, then $\text{Fr}(A \cup B) = \text{Fr}(A) \cup \text{Fr}(B)$.

Exercise 9. Let (X, d) be a metric space and let A be a subset of X . Prove that

$$\text{Fr}(\bar{A}) \subseteq \text{Fr}(A)$$

$$\text{Fr}(A^\circ) \subseteq \text{Fr}(A)$$

$$\bar{A} = A^\circ \cup \text{Fr}(A).$$

Exercise 10. Let (X, d) be a metric space and let A be a subset of X . Prove that A is closed if and only if $\text{Fr}(A) \subseteq A$.

Exercise 11. Let (X, d) be a metric space and let A be a subset of X . Prove that A is open if and only if $\text{Fr}(A) \cap A = \emptyset$.